

ACCESSORIES



BNC Connector



BNC Connector



DC Male - Female Connectors



Video Balun



3+1 CCTV Wire



CCTV Power Supply



USB DVR 4 Channel



USB DVR 8 Channel

WIRELESS SMART HOME SURVEILLANCE

A burglar alarm is a system designed to detect intrusion – unauthorized entry – into a building or area. They are also called security alarms, intrusion detection systems, perimeter detection systems, and similar terms.



Wireless door sensor

Host: CVC-KA

Wireless dual passive infrared detector

Power Supply

Remote Control

SPECIFICATION OF WIRELESS BURGLAR ALARM

- » 4 wired and 6 wireless defence zones .
- » Can preset and store 6 voice phones and 3 message phones.
- » Remote two-way intercom.
- » Telephone(Mobile Phone and via SMS) remote control programming.
- » Wireless intelligent learning encoding and complete wireless attachments.
- » Wireless attachments likes Motion sensor , Smoke sensor , LPG Sensor,
- » Shutter sensor, glass break sensor also be attached.
- » One-key-control function ; Out Arm,Home Arm , Remote Arm.
- » Built in NI-HI Rechargeable battery is available to provide pwer supply nearly 5 hours automatically after power off.
- » Main unit anti-tamper and low-voltage detecting function.

DVR - DIGITAL VIDEO RECORDER

is a consumer electronics device that records video in a digital format to a disk drive, USB flash drive, SD memory card networked mass storage device



DVR - 4101

4 Channel , H.264 DVR with 100 FPS TCP/IP Real Time with 1 Audio, VGA , PTZ Control , Mouse Operated , Remote , Alarm and Notification via Email, Backup USB 2.0, Mobile software with CIF model.



DVR 4104

4 Channel, H.264 DVR with 100 FPS TCP/IP Real Time with 4 Audio, VGA, PTZ Control, Mouse Operated, Remote, Alarm and Notification via Email, Backup USB 2.0, Mobile software & CMS Software.



DVR 4108

8 Channel , H.264 DVR with 200 FPS TCP/IP Real Time with 4 Audio, VGA, PTZ Control, Mouse Operated, Remote, Alarm and Notification via Email, Backup USB 2.0, Mobile software & CMS Software.



DVR 4108A

8 Channel, H.264 DVR with 200 FPS TCP/IP Real Time with 8 Audio, VGA, PTZ Control, Mouse Operated, Remote, Alarm and Notification via Email, Backup USB 2.0 , Mobile and CMS Software.



DVR 4116

16 Channel, H.264 DVR with 400 FPS TCP/IP Real Time with 4 Audio, VGA , PTZ Control, Mouse Operated, Remote, Alarm and Notification via Email, Backup USB 2.0, Mobile software & CMS Software.



DVR 4116A

16 Channel, H.264 DVR with 400 FPS TCP/IP Real Time with 16 Audio, VGA , PTZ Control, Mouse Operated, Remote, Alarm and Notification via Email, Backup USB 2.0, Mobile software & CMS Software.

SPY CAMERA'S



Mirror Spy Camera



Mirror Spy Camera



Concealed Spy Camera



Smoke Detector Spy Cam



Watch Camera



Button Camera



Specs Spy Cam



Pen Spy Cam

WWW.FALCONET.IN

VIDEO DOOR PHONE WITH 7' COLOR TFT.

This System can be used in apartments, house, hotels, offices, public Buildings. The camera is easy to install and you can see who is at your door.



Outdoor Unit



Indoor Unit

Benifits:

- » Enables you to view and interact with the visitor without opening the door.
- » 2 - way Communication.
- » Clear speaker system.
- » upto 16 ringtones available.
- » More than one indoor monitor can be attached with outdoor cameras.
- » unlocking the electric lock on recognizing the visitor.
- » Adjustable Brightness, contrast and volume.
- » Low Power Consumption.

PRODUCT SPECIFICATIONS

- » Model : WJ703A-C1; Warranty : 12 Months ; Color : Black and Silver.
- » 7 inch color TFT LCD Screen for indoor unit, low power consumption without radiations.
- » Real wide display with high resolution and Clear night vision can capture image in low-illumination environment.
- » Outdoor unit comes with six infrared LED lights to allow seeing who is at your door even in darkness.
- » Electronic Lock Control Function.
- » There are 16 beautiful chord music ringtone can be chosen.
- » The available distance is 200 M to connect to connection wire.
- » Expandable up to 3 Monitors
- » Taking Picture Storage Function and inbuilt message storage function for the visitors on some selected models.